ELSEVIER

Nuclear Engineering and Design 172 (1997) 397–398

Nuclear Engineering and Design

Author Index of Volume 172

Abderrahim, H.A., see Foskolos, K. 172 (1997) 385
Araki, T., see Tachibana, Y. 172 (1997) 93

Baek, W.-P., see Park, J.-W. 172 (1997) 137
Baetslé, L.H. and C. De Raedt, Some aspects of risk reduction strategy by multiple recycling in fast burner reactors of the plutonium and minor actinide inventories 172 (1997) 359
Baetsle, L.H. and C.D. Raedt, Some aspects of risk reduction strategy by multiple recycling in fast burner reactors of the plutonium and minor actinide inventories 172 (1997) 197
Barsamian, H.R. and Y.A. Hassan, Large eddy simulation of turbulent crossflow in tube bundles 172 (1997) 103
Bartholomé, G., G. Senski, R. Wellein and C. Schmidt, Validation of simplified fracture mechanics methods by testing of real components 172 (1997) 373
Baugnet, J.-M., see Foskolos, K. 172 (1997) 385
Bilby, B.A., see Li, Z.H. 172 (1997) 1
Birkhofer, A., Seismic design of nuclear facilities in Germany 172 (1997) 247

Dancygier, A.N., Effect of reinforcement ratio on the resistance of reinforced concrete to hard projectile impact 172 (1997) 233
De Raedt, C., see Baetslé, L.H. 172 (1997) 359
Djerfh, T., see Kornfeldt, H. 172 (1997) 367
Duo, D., see Huajian, C. 172 (1997) 13

Ettemeyer, A., D. Schreiber and W. Völzer, Strain analysis on ductile cast iron containers at drop tests 172 (1997) 309

Foskolos, K., H.A. Abderrahim, J.-M. Baugnet, J. Poirier, on behalf of the Programme Committee, Conclusions of the ENS Class 1 Topical meeting on '**Research Facilities for the Future of Nuclear Energy**': Brussels, 4–6 June 1996 172 (1997) 385
Fukakura, J., see Tachibana, Y. 172 (1997) 93

Gagarinski, P.A., The 7th Annual Conference of the Nuclear Society on New Energy Technologies and the Role of Nuclear Fission and Fusion Energy 172 (1997) 381
Golay, M.W., see Lapp, C.W. 172 (1997) 327
Gupta, A. and A.K. Gupta, Seismic response of tuned single degree of freedom secondary systems 172 (1997) 17
Gupta, A.K., see Gupta, A. 172 (1997) 17

Hassan, Y.A., see Barsamian, H.R. 172 (1997) 103
Heinsbroek, A.G.T.J., Fluid-structure interaction in non-rigid pipeline systems 172 (1997) 123
Heung Chang, S., see Park, J.-W. 172 (1997) 137
Higashi, S., see Kokusho, T. 172 (1997) 297
Howard, I.C., see Li, Z.H. 172 (1997) 1
Huajian, C., D. Duo and X. Yong, Spent fuel storage in pressure vessel for a nuclear heating reactor 172 (1997) 13

Ikemi, M., see Kokusho, T. 172 (1997) 297

James, L.A., Environmentally assisted cracking behavior of a low-alloy steel under non-isothermal conditions 172 (1997) 265
James, L.A., Surface-crack aspect ratio development during corrosion-fatigue crack growth in low-alloy steels 172 (1997) 61
Jang, H.C., see Lee, K.B. 172 (1997) 351

Kataoka, T., see Kokusho, T. 172 (1997) 297
Kawai, T., see Kokusho, T. 172 (1997) 297
Kilinski, T., see Kornfeldt, H. 172 (1997) 367
Kim, I.S., see Kim, J.W. 172 (1997) 49
Kim, J.W. and I.S. Kim, Investigation of dynamic strain aging in SA106 Gr.C piping steel 172 (1997) 49
Kitamura, E., see Sugawara, Y. 172 (1997) 281
Kobayashi, T., see Sugawara, Y. 172 (1997) 281
Kobayashi, T., see Sugawara, Y. 172 (1997) 273

PII S0029-5493(97)00227-6

Kokusho, T., K. Nishi, T. Okamoto, Y. Tanaka, T. Ueshima, K. Kudo, T. Kataoka, M. Ikemi, T. Kawai, Y. Sawada, K. Suzuki, K. Yajima and S. Higashi, Distribution of ground rigidity and ground model for seismic response analysis in Hualian project of large scale seismic test 172 (1997) 297
Kokusho, T., see Ueshima, T. 172 (1997) 289
Kornfeldt, H., M. Malmberg, J. Stribeck, P. Scott, T. Kilinski, D. Rudland, R. Olson and T. Djerfh, Demonstration of piping integrity with SMA technology 172 (1997) 367
Kudo, K., see Kokusho, T. 172 (1997) 297
Kurihara, R., The HTTR reactor pressure vessel and its integrity against a PTS event 172 (1997) 317

Lapp, C.W. and M.W. Golay, Modular design and construction techniques for nuclear power plants 172 (1997) 327
Lee, K.B. and H.C. Jang, A numerical prediction on the turbulent flow in closely spaced bare rod arrays by a nonlinear $k-\epsilon$ model 172 (1997) 351
Li, Z.H., I.C. Howard and B. A. Bilby, Three-dimensional damage theory of crack growth in large centre-cracked panels using the element removal technique 172 (1997) 1
Lopez de Bertodano, M.A. and A.A. Saif, Modified $k-\epsilon$ model for two-phase turbulent jets 172 (1997) 187

Malik, S.N.M., see Pennell, W.E. 172 (1997) 27
Malmberg, M., see Kornfeldt, H. 172 (1997) 367
Manteufel, R.D., Effects of ventilation and backfill on a mined waste disposal facility 172 (1997) 205
Maróti, L., Chemical interaction between VVER core components under accidental condition 172 (1997) 73
Matsumoto, F., see Tachibana, Y. 172 (1997) 93
Moskovic, R., see Windle, P.L. 172 (1997) 221
Mosleh, A., see Shen, S.-H. 172 (1997) 157

Nishi, K., see Kokusho, T. 172 (1997) 297

Okamoto, T., see Kokusho, T. 172 (1997) 297
Okamoto, T., see Ueshima, T. 172 (1997) 289
Olson, R., see Kornfeldt, H. 172 (1997) 367

Park, J.-W., W.-P. Baek and S. Heung Chang, Critical heat flux and flow pattern for water flow in annular geometry 172 (1997) 137
Pennell, W.E. and S.N.M. Malik, Structural integrity assessment of aging nuclear reactor pressure vessels 172 (1997) 27
Poirier, J., see Foskolos, K., 172 (1997) 385

Raedt, C.D., see Baetsle, L.H. 172 (1997) 197
Rudland, D., see Kornfeldt, H. 172 (1997) 367

Saif, A.A., see Lopez de Bertodano, M.A. 172 (1997) 187
Sawada, Y., see Kokusho, T. 172 (1997) 297
Schmidt, C., see Bartholomé, G. 172 (1997) 373
Schreiber, D., see Ettemeyer, A. 172 (1997) 309
Scott, P., see Kornfeldt, H. 172 (1997) 367
Senski, G., see Bartholomé, G. 172 (1997) 373
Shen, S.-H., C. Smidts and A. Mosleh, A methodology for collection and analysis of human error data based on a cognitive model: IDA 172 (1997) 157
Shiozawa, S., see Tachibana, Y. 172 (1997) 93
Smidts, C., see Shen, S.-H. 172 (1997) 157
Stribeck, J., see Kornfeldt, H. 172 (1997) 367
Sugawara, Y., T. Sugiyama, T. Kobayashi, H. Yamaya and E. Kitamura, Correlation analysis for forced vibration test of the Haulien large scale seismic test program 172 (1997) 281
Sugawara, Y., T. Uetake, T. Kobayashi and H. Yamaya, Forced vibration test of the Hualien large scale soil structure interaction model (part 2) 172 (1997) 273
Sugiyama, T., see Sugawara, Y. 172 (1997) 281
Suzuki, K., see Kokusho, T. 172 (1997) 297

Tachibana, Y., S. Shiozawa, J. Fukakura, F. Matsumoto and T. Araki, Integrity assessment of the high temperature engineering test reactor (HTTR) control rod at very high temperatures 172 (1997) 93
Tanaka, Y., see Kokusho, T. 172 (1997) 297

Ueshima, T., see Kokusho, T. 172 (1997) 297
Ueshima, T., T. Kokusho, T. Okamoto and H. Yajima, Seismic response analysis of embedded structure at Hualien, Taiwan 172 (1997) 289
Uetake, T., see Sugawara, Y. 172 (1997) 273

Völzer, W., see Ettemeyer, A. 172 (1997) 309

Wellein, R., see Bartholomé, G. 172 (1997) 373
Wiesenack, W., Review of Halden reactor project high burnup fuel data that can be used in safety analyses 172 (1997) 83
Windle, P.L. and R. Moskovic, Quantification of the uncertainty in the effect of irradiation on Charpy properties 172 (1997) 221

Yajima, H., see Ueshima, T. 172 (1997) 289
Yajima, K., see Kokusho, T. 172 (1997) 297
Yamaya, H., see Sugawara, Y. 172 (1997) 281
Yamaya, H., see Sugawara, Y. 172 (1997) 273
Yong, X., see Huajian, C. 172 (1997) 13

ELSEVIER

Nuclear Engineering and Design 172 (1997) 399–400

Nuclear Engineering and Design

Subject Index of Volume 172

Thermal and fluid design

Fluid-structure interaction in non-rigid pipeline systems
A.G.T.J. Heinsbroek 172 (1997) 123

Engineering mechanics

Three-dimensional damage theory of crack growth in large centre-cracked panels using the element removal technique
Z.H. Li, I.C. Howard, B.A. Bilby 172 (1997) 1
Seismic response of tuned single degree of freedom secondary systems
A. Gupta, A.K. Gupta 172 (1997) 17
Surface-crack aspect ratio development during corrosion-fatigue crack growth in low-alloy steels
L.A. James 172 (1997) 61
Quantificaton of the uncertainty in the effect of irradiation on Charpy properties
P.L. Windle, R. Moskovic 172 (1997) 221
Strain analysis on ductile cast iron containers at drop tests
A. Ettemeyer, D. Schreiber, W. Völzer 172 (1997) 309

Materials properties

Surface-crack aspect ratio development during corrosion-fatigue crack growth in low-alloy steels
L.A. James 172 (1997) 61
Quantification of the uncertainly in the effect of irradiation on Charpy properties
P.L. Windle, R. Moskovic 172 (1997) 221
Strain analysis on ductile cast iron containers at drop tests
A. Ettemeyer, D. Schreiber, W. Völzer 172 (1997) 309

Mechanical design, component fabrication and testing

Three-dimensional damage theory of crack growth in large centre-cracked panels using the element removal technique
Z.H. Li, I.C. Howard, B.A. Bilby 172 (1997) 1
Structural integrity assessment of aging nuclear reactor pressure vessels
W.E. Pennell, S.N.M. Malik 172 (1997) 27
Investigation of dynamic strain aging in SA106 Gr.C piping steel
J.W. Kim, I.S. Kim 172 (1997) 49
Integrity assessment of the high temperature engineering test reactor (HTTR) control rod at very high temperatures
Y. Tachibana, S. Shiozawa, J. Fukakura, F. Matsumoto, T. Araki 172 (1997) 93
Effect of reinforcement ratio on the resistance of reinforced concrete to hard projectile impact
A.N. Dancygier 172 (1997) 233
Seismic design of nuclear facilities in Germany
A. Birkhofer 172 (1997) 247
Environmentally assisted cracking behavior of a low-alloy steel under non-isothermal conditions
L.A. James 172 (1997) 265
Forced vibration test of the Hualien larger scale soil structure interaction model (part 2)
Y. Sugawara, T. Uetake, T. Kobayashi, H. Yamaya 172 (1997) 273
Correlation analysis for forced vibration test of the Haulien large scale seismic test program
Y. Sugawara, T. Sugiyama, T. Kobayashi, H. Yamaya, E. Kitamura 172 (1997) 281
Seismic response analysis of embedded structure at Hualien, Taiwan
T. Ueshima, T. Kokusho, T. Okamoto, H. Yajima 172 (1997) 289
Distribution of ground rigidity and ground model for seismic response analysis in Hualian project of large scale seismic test
T. Kokusho, K. Nishi, T. Okamoto, Y. Tanaka, T. Ueshima, K. Kudo, T. Kataoka, M. Ikemi, T. Kawai, Y. Sawada, K. Suzuki, K. Yajima, S. Higashi 172 (1997) 297
The HTTR reactor pressure vessel and its integrity return against a PTS event
R. Kurihara 172 (1997) 317

PII S0029-5493(97)00228-8

Demonstration of piping integrity with SMA technology
H. Kornfeldt, M. Malmberg, J. Stribeck, P. Scott, T. Kilinski, D. Rudland, R. Olson, T. Djerfh 172 (1997) 367
Validation of simplified fracture mechanics methods by testing of real components
G. Bartholomé, G. Senski, R. Wellein, C. Schmidt 172 (1997) 373

Reactor concepts and systems analysis

Seismic design of nuclear facilities in Germany
A. Birkhofer 172 (1997) 247

Layout of nuclear facilities

Forced vibration test of the Hualien large scale soil structure interaction model (part 2)
Y. Sugawara, T. Uetake, T. Kobayashi, H. Yamaya 172 (1997) 273
Correlation analysis for forced vibration test of the Haulien large scale seismic test program
Y. Sugawara, T. Sugiyama, T. Kobayashi, H. Yamaya, E. Kitamura 172 (1997) 281
Seismic response analysis of embedded structure at Haulien, Taiwan
T. Yeshima, T. Kokusho, T. Okamoto, H. Yajima 172 (1997) 289
Distribution of ground rigidity and ground model for seismic response analysis in Hualian project of large scale seismic test
T. Kokusho, K. Nishi, T. Okamoto, Y. Tanaka, T. Ueshima, K. Kudo, T. Kataoka, M. Ikemi, T. Kawai, Y. Sawada, K. Suzuki, K. Yajima, S. Higashi 172 (1997) 297
Modular design and construction techniques for nuclear power plants
C.W. Lapp, M.W. Golay 172 (1997) 327

Structural design, construction methods and testing

Investigation of dynamic strain aging in SA106 Gr.C piping steel
J.W. Kim, I.S. Kim 172 (1997) 49
Modular design and construction techniques for nuclear power plants
C.W. Lapp, M.W. Golay 172 (1997) 327

Miscellaneous

The 7th Annual Conference of the Nuclear Society on New Energy Technologies and the Role of Nuclear Fission and Fusion Energy
A. Gagarinski 172 (1997) 381
Conclusions of the ENS Class 1 Topical meeting on 'Research Facilities for the Future of Nuclear Energy' Brussels, 4–6 June 1996
K. Foskolos, H.A. Abderrahim, J.-M. Baugnet, J. Poirer 172 (1997) 385
List of Referees 172 (1997) 387

Nuclear waste management and disposal

Review of Halden reactor project high burnup fuel data that can be used in safety analses
W. Wiesenack 172 (1997) 83
Effects of ventilation and backfill on a mined waste disposal facility
R.D. Manteufel 172 (1997) 205

Core physics and fuel design

Spent fuel storage in pressure vessel for a nuclear heating reactor
C. Huajian, D. Duo, X. Yong 172 (1997) 13
Some aspects of risk reduction strategy by multiple recycling in fast burner reactors of the plutonium and minor actinide inventories
L.H. Baetsle, C. De Raedt 172 (1997) 197
Some aspects of risk reduction strategy by multiple recycling in fast burner reactors of the plutonium and minor actinide inventories
L.H. Baetslé, C. De Raedt 172 (1997) 359

Nuclear safety

Chemical interaction between VVER core components under accidental condition
L. Maróti 172 (1997) 73

Thermal hydraulics and safety

Large eddy simulation of turbulent crossflow in tube bundles
H.R. Barsamian, Y.A. Hassan 172 (1997) 103
Critical heat flux and flow pattern for water flow in annular geometry
J.-W. Park, W.-P. Baek, S.H. Chang 172 (1997) 137
A methodology for collection and analysis of human error data based on a cognitive model: IDA
S-H. Shen, C. Smidts, A. Mosleh 172 (1997) 157
Modified k-ε model for two-phase turbulent jets
M.A. Lopez de Bertodano, A.A. Saif 172 (1997) 187
A numerical prediction on the turbulent flow in closely spaced bare rod arrays by a nonlinear k-ε model
K. Bock Lee, H. Cheol Jang 172 (1997) 351